

22-12-2004

NL0300921

22 DEC. 2004 16:53

DSM IP GELEEN 046-4761830

NR. 5374 P. 4

10/540229
JC17 Rec'd PCT/PTO 21 JUN 2005

9572WO

22 December 2004

Enclosure 1.1

AMENDED SET OF CLAIMS

1. Process for reducing the aldehyde concentration in a mixture comprising cyclohexanone and one or more aldehydes, said process comprising distilling
5 said mixture in a distillation column in the presence of an alkaline compound, wherein in the bottom of the distillation column less than 100 weight ppm of water is present.
2. Process according to claim 1, wherein said mixture is a mixture comprising cyclohexanone, cyclohexanol, low boiling compounds and high boiling
10 compounds and wherein said distilling involves separation of low boiling compounds to obtain a top product comprising low boiling compounds and a bottom product comprising cyclohexanone, cyclohexanol and high boiling compounds.
3. Process according to any one of claim 1 to 2, wherein the aldehydes are
15 hexanal and/or pentanal.
4. Process according to claim 2 or 3, wherein the distillation is effected at a top temperature of between 45 and 130 °C and a bottom temperature of between 105 and 190 °C.
5. Process according to any one of claim 1 to 4, wherein the process comprises
20 feeding a solution comprising water and the alkaline compound to the distillation column at a level above the bottom of the distillation column.
6. Process according to any one of claim 1 to 5, wherein the process comprises feeding the mixture to said distillation column and feeding a solution
comprising water and the alkaline compound to the distillation column at a
25 level above the bottom of the distillation column.
7. Process according to any one of claim 1 to 5, wherein the process comprises feeding the mixture to the distillation column at a level above the bottom of the distillation column and introducing a solution comprising water and the alkaline compound into the mixture prior to said feeding.
- 30 8. Process according to any one of claim 1 to 7, wherein the alkaline compound is an alkali metal compound.
9. Process according to claim 8, wherein distilling the mixture is effected with such an amount of alkali metal compound that the concentration of alkali metal in the bottom of the distillation column is higher than 2 weight ppm and
35 lower than 50 weight ppm.

9572WO

22 December 2004

Enclosure 1.2

AMENDED SET OF CLAIMS (continued)

10. Process according to any one of claim 1 to 9, wherein said alkaline compound is an alkali metal hydroxide, alkali metal carbonate or alkali metal alkoxide.
- 5 11. Process according to any one of claim 1 to 10, wherein said alkaline compound is sodium hydroxide or potassium hydroxide.
12. Process according to any one of claim 1 to 11, wherein the process further comprises feeding said bottom product to a distillation column in which cyclohexanone is distilled off as a top product.
- 10 13. Process according to any one of claim 1 to 12, wherein preparing of the mixture involves oxidizing cyclohexane in the liquid phase with an oxygen containing gas in the absence of an oxidation catalyst resulting in an oxidation mixture comprising cyclohexane, cyclohexyl hydroperoxide, cyclohexanone and cyclohexanol; treating the oxidation mixture with a cyclohexyl hydroperoxide decomposing metal salt in the presence of an alkali metal hydroxide such as to effect decomposition of the cyclohexyl hydroperoxide into cyclohexanone and cyclohexanol to obtain the mixture subjected to said distilling in the presence of an alkaline compound.
- 15 14. Process according to claim 13, wherein said preparing of the mixture further involves separating cyclohexane prior to said distilling.
- 20 15. Process according to any one of claims 1-14, wherein the process comprising oxidizing cyclohexane in the liquid phase with an oxygen containing gas resulting in an oxidation mixture comprising cyclohexane, cyclohexyl hydroperoxide, cyclohexanone and cyclohexanol;
- 25 treating the oxidation mixture with a cyclohexyl hydroperoxide decomposing metal salt in the presence of an alkali metal hydroxide such as to effect decomposition of the cyclohexyl hydroperoxide into cyclohexanone and cyclohexanol, resulting in a mixture comprising cyclohexanone, cyclohexanol and cyclohexane;
- 30 separating, by distillation, cyclohexane from the mixture comprising comprising cyclohexanone, cyclohexanol and cyclohexane;
- separating, by distillation, low boiling compounds from the resulting mixture to obtain a top product comprising low boiling compounds and a bottom product comprising cyclohexanone, cyclohexanol and high boiling compounds;

9572WO

22 December 2004

Enclosure 1.3

AMENDED SET OF CLAIMS (continued)

wherein the distillation to separate cyclohexane or the distillation to separate low boiling compounds is carried out according to any one of claims 1 to 15.

- 5 16. Process according to claim 15, wherein the process further comprises feeding said bottom product to a distillation column in which cyclohexanone is distilled off as a top product.